## Washington Behavioral Risk Factor Surveillance System 2004 Tobacco Survey Results

## Ferry County

What is your age?	n	= 197
18 - 34	18.1%	(± 6.6%)
35 - 54	39.4	(± 7.9)
55 - 74 35 ·	35.1	(± 7.2)
75+	7.5	(± 4.9)
Gender	n	= 197
Male	57.4%	(± 7.7%)
Female	42.6	(± 7.7)
Which one of these groups would you say best represents your race	n	= 196
White	90.0%	(± 4.7%)
Black or African American	0.0	$(\pm 0.0)$
Asian	0.3	$(\pm 0.7)$
Native Hawaiian or Other Pacific Islander	0.0	(± 0.0)
American Indian, Alaska Native	9.6	(± 4.6)
Other race	0.0	(± 0.0)
No preferred race	0.0	(± 0.0)
Are you Hispanic or Latino/Latina?	n	= 197
Yes	1.3%	(± 2.5%)
No	98.7	(± 2.5)
Marital status	n	= 197
Married	60.5%	(± 7.9%)
Divorced	16.0	$(\pm 5.6)$
Widowed	8.1	$(\pm 4.9)$
Separated	1.9	(± 2.1)
Never been married	8.2	(± 4.4)
Or a member of an unmarried couple	5.3	(± 4.1)
How many children less than 18 years of age live in your household?	n	= 197
None	70.5%	(± 7.1%)
1	11.5	(± 4.8)
2	9.3	(± 4.7)
3 or more	8.8	$(\pm 4.4)$
What is the highest grade or year of school you completed?	n	= 194
Some high school or less	9.3%	(± 4.2%)
High school graduate or GED	36.6	(± 7.9)
Some college or technical school	32.6	(± 7.6)
College graduate or more	21.5	$(\pm 6.4)$
*Estimates based on sample sizes less than 50 were omitted.		Ferry
One at a diam 0/00/000F		D 4 - (40

Created on 8/29/2005

Page 1 of 10

Are you currently		n =	: 196
Employed for wages Self-employed Out of work Homemaker Student Retired Or unable to work	41.2% 6.8 10.1 6.3 2.0 24.3 9.3		(± 8.1%) (± 3.7) (± 5.1) (± 3.3) (± 2.1) (± 6.7) (± 4.2)
Annual household income from all sources		n =	: 178
Less than \$20,000 \$20,000 to less than \$50,000 \$50,000 or more	23.1% 54.1 22.8		(± 6.7%) (± 8.4) (± 7.6)
Have you smoked at least 100 cigarettes in your entire life?		n =	205
Yes No	52.7% 47.3		(± 7.8%) (± 7.8)
Among those that have smoked at least 100 cigarettes in their entire life: Do you now smoke cigarettes everyday, some days, or not at all?		n =	: 112
Everyday Some days Not at all	30.8% 6.8 62.4		(± 9.5%) (± 5.1) (± 10.1)
Among current smokers:  During the past 12 months, have you stopped smoking for 1 day or longer because you were trying to quit smoking?		n :	= 43
Yes No	*		*
Current cigarette smoking prevalence:		n =	205
(every day or some day smokers among the whole population)	19.8%		(± 5.9%)
Among those that have smoked at least 100 cigarettes: Did you smoke any cigarettes during the past 30 days?		n =	· 105
Yes No	38.3% 61.7		(± 10.4%) (± 10.4)
Among those that have smoked in the past 30 days: On how many days of the past 30 days did you smoke cigarettes?		n :	= 41
Less than 30 days 30 days	*		*
Among those that have smoked in the past 30 days:  On average, about how many cigarettes per day do you smoke, on the days that you do smoke?		n :	= 42
Average:	*		*

\*Estimates based on sample sizes less than 50 were omitted.

Ferry
Created on 8/29/2005
Page 2 of 10

Have you ever tried using smokeless tobacco, like chew, dip or snuff?	n = 195	
Yes	38.1%	(± 8.0%)
No	61.9	$(\pm 8.0)$
Among those that have ever tried smokeless tobacco:		
On how many of the past 30 days did you use smokeless tobacco products?	n	= 62
None	70.2%	(± 13.6%)
Less than 30 days	9.3	(± 7.4)
30 days	20.4	(± 13.1)
Current smokeless tobacco prevalence:	n	= 195
(any use in past 30 days among the whole population)	11.3%	(± 5.9%)
In the past month, have you smoked a cigar, even just a puff?	n	= 195
Yes	4.7%	(± 3.2%)
No	95.3	$(\pm 3.2)$
Current tobacco use (all types of tobacco)	n	= 195
Current daily tobacco user	29.9%	(± 7.5%)
Current non-tobacco user	70.1	$(\pm 7.5)$
Among former smokers:		
About how long has it been since you last smoked cigarettes regularly, that is, daily?	n	= 63
Within the past month (less than 1 month ago)	0.0%	(± 0.0%)
Within the past 3 months (1-3 months ago)	0.0	(± 0.0)
Within the past 6 months (3-6 months ago)	0.0	$(\pm 0.0)$
Within the past year (6-12 months ago)	1.1	(± 2.2)
Within the past 5 years (1-5 years ago)	11.1 26.6	(± 7.5)
Within the past 15 years (5-15 years ago)  More than 15 years ago	55.3	(± 13.7) (± 14.9)
Never used regularly	5.9	$(\pm 8.5)$
Among former smokers: When you last smoked cigarettes regularly, on average, how many days per month	n n	= 61
did you smoke?	''	- 01
Average:	30.2	(± 2.7)
Among former smokers:		
When you last smoked cigarettes regularly, on average, how many cigarettes did you smoke per day?	n	= 61
Average:	22.8	(± 4.8)
	5	()

Ferry
Created on 8/29/2005
Page 3 of 10

<sup>\*</sup>Estimates based on sample sizes less than 50 were omitted.

Among never smokers less than 30 years old:  Do you think that you will smoke a cigarette anytime during the next year?		n = 9	
	*	*	
Definitely yes	*	*	
Probably yes Probably no	*	*	
Definitely no	*	*	
Dominion, no			
Among never smokers less than 30 years old:		_	
If you of your best friends offered you a cigarette, would you smoke it?		n = 8	
Definitely yes	*	*	
Probably yes	*	*	
Probably no	*	*	
Definitely no	*	*	
Among current tobacco users:			
About how much do you usually spend on tobacco products every week?		n = 50	
Less than \$25	87.5%		`
At least \$25 but less than \$55	8.5	(± 9.1% (± 7.4)	)
More than \$55	4.0	$(\pm 7.4)$	
More than 400	1.0	(= 0.0)	
Among current tobacco users:			
In the past month, did you buy tobacco on a Native American reservation?		n = 53	
Yes	53.1%	(± 15.29	%)
No	46.9	(± 15.2)	,
Among current tobacco users:		- 4	
In the past month, did you buy tobacco from the Internet?		n = 54	
Yes	0.0%	(± 0.0%	<sub>o</sub> )
No	100.0	$(\pm 0.0)$	
Among assurant to base supply			
Among current tobacco users:  During the past month, did you buy tobacco outside the state to save money - not		n = 53	
just because you were traveling?		11 = 55	
	0.00/	(, 0.00/	`
Yes No	100.0	(± 0.0% (± 0.0)	))
INO	100.0	(± 0.0)	
Among current/former tobacco users:			
People close to me are/were upset by my using tobacco.		n = 96	
Strongly agree	32.3%	(± 10.79	%)
Somewhat agree	31.8	(± 11.1)	•
Somewhat disagree	21.3	(± 10.6)	
Strongly disagree	14.6	(± 8.3)	

Ferry
Created on 8/29/2005
Page 4 of 10

<sup>\*</sup>Estimates based on sample sizes less than 50 were omitted.

Among current/former tobacco users: When was the last time a DOCTOR or other healthcare provider advised you to quit, if ever?	n	= 106
Within the past year (1-12 months) Within the past three years (1-3 years) 3 or more years ago	21.3% 3.7 19.1	(± 8.3%) (± 3.6) (± 8.8)
They never advised me to quit	55.9	(± 10.9)
Among current/former tobacco users: When was the last time a DENTIST advised you to quit, if ever?	n	= 107
Within the past year (1-12 months)	4.9%	(± 4.4%)
Within the past three years (1-3 years)	2.6	$(\pm 2.9)$
3 or more years ago	11.8	(± 6.5)
They never advised me to quit	80.7	(± 8.1)
Among current/former tobacco users: When was the last time a PHARMACIST advised you to quit, if ever?	n	= 106
Within the past year (1-12 months)	1.8%	(± 2.5%)
Within the past three years (1-3 years)	0.9	(± 1.7)
3 or more years ago	0.8	(± 1.6)
They never advised me to quit	96.6	(± 3.4)
Among those advised to quit:		
Did the health care professional who advised to quit offer any help, or refer you to a source of help to quit tobacco use?	n	= 53
Did the health care professional who advised to quit offer any help, or refer you to	n 45.7%	(± 15.4%)
Did the health care professional who advised to quit offer any help, or refer you to a source of help to quit tobacco use?		
Did the health care professional who advised to quit offer any help, or refer you to a source of help to quit tobacco use?  Yes	45.7% 54.3	(± 15.4%)
Did the health care professional who advised to quit offer any help, or refer you to a source of help to quit tobacco use?  Yes  No  What type of health coverage do you use to pay for most of your medical care? Is	45.7% 54.3	(± 15.4%) (± 15.4)
Did the health care professional who advised to quit offer any help, or refer you to a source of help to quit tobacco use?  Yes No  What type of health coverage do you use to pay for most of your medical care? Is it coverage through  Your employer Someone else's employer	45.7% 54.3 n 39.4% 10.9	(± 15.4%) (± 15.4) = 162 (± 9.0%) (± 4.7)
Did the health care professional who advised to quit offer any help, or refer you to a source of help to quit tobacco use?  Yes No  What type of health coverage do you use to pay for most of your medical care? Is it coverage through  Your employer Someone else's employer A plan that you or someone buys on your own	45.7% 54.3 n 39.4% 10.9 9.1	$(\pm 15.4\%)$ $(\pm 15.4)$ = 162 $(\pm 9.0\%)$ $(\pm 4.7)$ $(\pm 4.9)$
Did the health care professional who advised to quit offer any help, or refer you to a source of help to quit tobacco use?  Yes No  What type of health coverage do you use to pay for most of your medical care? Is it coverage through  Your employer Someone else's employer A plan that you or someone buys on your own Medicare	45.7% 54.3 n 39.4% 10.9 9.1 23.4	$(\pm 15.4\%) \\ (\pm 15.4)$ $= 162$ $(\pm 9.0\%) \\ (\pm 4.7) \\ (\pm 4.9) \\ (\pm 7.4)$
Did the health care professional who advised to quit offer any help, or refer you to a source of help to quit tobacco use?  Yes No  What type of health coverage do you use to pay for most of your medical care? Is it coverage through  Your employer Someone else's employer A plan that you or someone buys on your own Medicare Medicaid or Medical Assistance	45.7% 54.3 n 39.4% 10.9 9.1 23.4 9.3	(± 15.4%) (± 15.4) = 162 (± 9.0%) (± 4.7) (± 4.9) (± 7.4) (± 4.7)
Did the health care professional who advised to quit offer any help, or refer you to a source of help to quit tobacco use?  Yes No  What type of health coverage do you use to pay for most of your medical care? Is it coverage through  Your employer Someone else's employer A plan that you or someone buys on your own Medicare Medicaid or Medical Assistance The military, CHAMPUS, or the VA	45.7% 54.3 n 39.4% 10.9 9.1 23.4 9.3 3.3	(± 15.4%) (± 15.4) = 162 (± 9.0%) (± 4.7) (± 4.9) (± 7.4) (± 4.7) (± 3.0)
Did the health care professional who advised to quit offer any help, or refer you to a source of help to quit tobacco use?  Yes No  What type of health coverage do you use to pay for most of your medical care? Is it coverage through  Your employer Someone else's employer A plan that you or someone buys on your own Medicare Medicaid or Medical Assistance The military, CHAMPUS, or the VA The Indian Health Service	45.7% 54.3 n 39.4% 10.9 9.1 23.4 9.3 3.3 4.2	$(\pm 15.4\%)$ $(\pm 15.4)$ $= 162$ $(\pm 9.0\%)$ $(\pm 4.7)$ $(\pm 4.9)$ $(\pm 7.4)$ $(\pm 4.7)$ $(\pm 3.0)$ $(\pm 3.0)$
Did the health care professional who advised to quit offer any help, or refer you to a source of help to quit tobacco use?  Yes No  What type of health coverage do you use to pay for most of your medical care? Is it coverage through  Your employer Someone else's employer A plan that you or someone buys on your own Medicare Medicaid or Medical Assistance The military, CHAMPUS, or the VA	45.7% 54.3 n 39.4% 10.9 9.1 23.4 9.3 3.3	(± 15.4%) (± 15.4) = 162 (± 9.0%) (± 4.7) (± 4.9) (± 7.4) (± 4.7) (± 3.0)
Did the health care professional who advised to quit offer any help, or refer you to a source of help to quit tobacco use?  Yes No  What type of health coverage do you use to pay for most of your medical care? Is it coverage through  Your employer Someone else's employer A plan that you or someone buys on your own Medicare Medicaid or Medical Assistance The military, CHAMPUS, or the VA The Indian Health Service Some other source  Among current and recent former smokers:	45.7% 54.3 n 39.4% 10.9 9.1 23.4 9.3 3.3 4.2 0.3	(± 15.4%) (± 15.4) = 162 (± 9.0%) (± 4.7) (± 4.9) (± 7.4) (± 4.7) (± 3.0) (± 3.0) (± 0.5)
Did the health care professional who advised to quit offer any help, or refer you to a source of help to quit tobacco use?  Yes No  What type of health coverage do you use to pay for most of your medical care? Is it coverage through  Your employer Someone else's employer A plan that you or someone buys on your own Medicare Medicaid or Medical Assistance The military, CHAMPUS, or the VA The Indian Health Service Some other source  Among current and recent former smokers: Within the past year, have you heard about any programs in your community to help you quit using tobacco, such as classes, support groups or counseling	45.7% 54.3 n 39.4% 10.9 9.1 23.4 9.3 3.3 4.2 0.3	$(\pm 15.4\%)$ $(\pm 15.4)$ $= 162$ $(\pm 9.0\%)$ $(\pm 4.7)$ $(\pm 4.9)$ $(\pm 7.4)$ $(\pm 4.7)$ $(\pm 3.0)$ $(\pm 3.0)$
Did the health care professional who advised to quit offer any help, or refer you to a source of help to quit tobacco use?  Yes No  What type of health coverage do you use to pay for most of your medical care? Is it coverage through  Your employer Someone else's employer A plan that you or someone buys on your own Medicare Medicaid or Medical Assistance The military, CHAMPUS, or the VA The Indian Health Service Some other source  Among current and recent former smokers: Within the past year, have you heard about any programs in your community to help you quit using tobacco, such as classes, support groups or counseling services?	45.7% 54.3 n 39.4% 10.9 9.1 23.4 9.3 3.3 4.2 0.3	(± 15.4%) (± 15.4) = 162 (± 9.0%) (± 4.7) (± 4.9) (± 7.4) (± 4.7) (± 3.0) (± 3.0) (± 0.5)
Did the health care professional who advised to quit offer any help, or refer you to a source of help to quit tobacco use?  Yes No  What type of health coverage do you use to pay for most of your medical care? Is it coverage through  Your employer Someone else's employer A plan that you or someone buys on your own Medicare Medicaid or Medical Assistance The military, CHAMPUS, or the VA The Indian Health Service Some other source  Among current and recent former smokers: Within the past year, have you heard about any programs in your community to help you quit using tobacco, such as classes, support groups or counseling	45.7% 54.3 n 39.4% 10.9 9.1 23.4 9.3 3.3 4.2 0.3	(± 15.4%) (± 15.4) = 162 (± 9.0%) (± 4.7) (± 4.9) (± 7.4) (± 4.7) (± 3.0) (± 3.0) (± 0.5)

Ferry
Created on 8/29/2005
Page 5 of 10

<sup>\*</sup>Estimates based on sample sizes less than 50 were omitted.

Among current and recent former smokers: Within the past year, did your employer offer any stop-smoking class or other programs to help employees quit using tobacco? Yes	*	n =	: 10 *
No	*		*
Among current and recent former smokers with health care coverage:  Does your health care insurance coverage pay for the cost of any help to quit using tobacco, such as a stop-smoking program or nicotine patches, pills or other medications?		n =	: 31
Yes	*		*
No	*		*
Don't know/Not sure	*		*
Among current and recent former smokers: Have you heard about the Washington State "Quit-Line" - a telephone support service to help people quit using tobacco?		n =	: 42
Yes	*		*
No	*		*
Among current and recent former smokers who have heard of the "Quit-Line": Would you ever call a telephone support service for help in quitting tobacco?  Definitely Yes	*	n =	: 42 *
Probably Yes	*		*
Probably No	*		*
Definitely No	*		*
Among current and recent former smokers who have heard of the "Quit-Line": Have you called the Quit line?		n =	<del>-</del> 20
Yes	*		*
No	*		*
Among current tobacco users: Would you like to quit using tobacco?		n =	: 53
Yes No	50.1% 49.9		(± 15.4%) (± 15.4)
Among current tobacco users who would like to quit:  Are you seriously considering quitting tobacco use within the next 6 months?		n =	: 25
Yes	*		*
No	*		*
Among current tobacco users considering quitting within 6 months:  Are you planning to stop within the next 30 days?		n =	: 21
Yes	*		*
No No	*		*
Don't know/Not sure	*		*

<sup>\*</sup>Estimates based on sample sizes less than 50 were omitted.

Created on 8/29/2005

Ferry Page 6 of 10

Are you currently registered to vote?	n	= 194
Yes No	79.6% 20.4	(± 6.6%) (± 6.6)
Which of the following statements best describes the rules about smoking in your home	n	= 194
No one is allowed to smoke anywhere inside your home Smoking is allowed at some places or at some times Smoking is permitted anywhere inside your home	79.6% 10.3 10.1	(± 6.3%) (± 4.8) (± 4.6)
How many people, including you, who live in your household currently smoke cigarettes, cigars, or pipes?	n	= 195
No current smokers in household 1 2 3 or more	68.7% 24.3 6.3 0.7	(± 7.3%) (± 6.7) (± 3.7) (± 1.3)
On how many of the past 30 days has someone, including you, smoked cigarettes, cigars, or pipes anywhere inside your home?	n	= 194
None Less than 30 30 days	80.5% 8.3 11.2	(± 6.2%) (± 4.3) (± 4.8)
oo dayo		(=)
If it were just up to you, would you let people smoke inside your home?		= 194
		,
If it were just up to you, would you let people smoke inside your home? Yes	n 17.7% 82.3	= 194 (± 5.9%)
If it were just up to you, would you let people smoke inside your home? Yes No  Among people who are currently employed for wages:	n 17.7% 82.3	= 194 (± 5.9%) (± 5.9)
If it were just up to you, would you let people smoke inside your home? Yes No  Among people who are currently employed for wages: When you are at work, do you spend most of your time in an Office Store Restaurant or Bar Warehouse or factory Home/Someone elses home Outdoors Car or truck Classroom Hospital	17.7% 82.3 r 21.9% 5.0 1.5 0.0 4.8 44.0 8.2 8.6 4.3 1.8	= 194 (± 5.9%) (± 5.9) 1 = 84 (± 9.3%) (± 4.4) (± 2.2) (± 0.0) (± 4.0) (± 12.4) (± 6.7) (± 6.0) (± 5.0)

\*Estimates based on sample sizes less than 50 were omitted.

Ferry
Created on 8/29/2005
Page 7 of 10

Among people who are currently employed for wages: Is smoking allowed in any of the following areas at your workplace Employee lunchrooms or lounges?	n	= 69
Yes No	1.4% 98.6	(± 2.7%) (± 2.7)
Among people who are currently employed for wages: Is smoking allowed in any of the following areas at your workplace A different designated indoor smoking area?	n	= 70
Yes No	0.0% 100.0	(± 0.0%) (± 0.0)
Among people who are currently employed for wages: In a typical week, how many hours would you say that you are in a room or car with secondhand smoke while you are at work?	n	= 84
None Less than one hour One hour or more	86.2% 10.1 3.7	(± 10.4%) (± 10.0) (± 4.0)
In general, would you say that breathing secondhand smoke is	n =	= 190
Not at all annoying to you A little bit annoying Somewhat annoying Very annoying to you	10.2% 14.8 19.9 55.1	(± 4.4%) (± 6.0) (± 7.0) (± 8.2)
Would you say that breathing secondhand smoke is	n =	= 181
Not at all harmful A little bit harmful Somewhat harmful Very harmful	2.5% 9.8 25.6 62.1	(± 2.1%) (± 5.5) (± 7.9) (± 8.5)
All children should be protected from secondhand smoke.	n =	= 186
Strongly agree Somewhat agree Somewhat disagree Strongly disagree	83.0% 10.1 3.5 3.5	(± 6.0%) (± 5.0) (± 2.5) (± 2.9)
Do you think that smoking should not be allowed at all in restaurants?	n =	= 195
Yes No Don't know/Not sure	65.4% 25.1 9.5	(± 7.8%) (± 6.8) (± 5.7)
Do you think that smoking should not be allowed in bars and lounges?	n = 194	
Yes No Don't know/Not sure	26.2% 57.2 16.6	(± 6.7%) (± 8.1) (± 7.1)

<sup>\*</sup>Estimates based on sample sizes less than 50 were omitted.

Ferry
Created on 8/29/2005
Page 8 of 10

Do you think that smoking should not be allowed in outdoor public areas where children may be present?	n	ı = 193
Yes	48.1%	(± 8.0%)
No	48.6	$(\pm 8.0)$
Don't know/Not sure	3.4	(± 2.5)
Local law enforcement officials should place a high priority on enforcing laws that	n	ı = 183
ban the possession of tobacco products by minors.		
Strongly agree	50.3%	(± 8.3%)
Somewhat agree	21.9	(± 6.8)
Somewhat disagree	18.6	(± 7.5)
Strongly disagree	9.2	(± 4.8)
The city or town where you live should establish as many strong rules and laws as possible to protect nonsmokers, including children, from secondhand smoke.	n	ı = 186
Strongly agree	43.5%	(± 8.0%)
Somewhat agree	25.0	$(\pm 7.4)$
Somewhat disagree	19.0	$(\pm 7.3)$
Strongly disagree	12.6	$(\pm 5.5)$
School officials should make sure that all children receive anti-tobacco education.	n	ı = 191
Strongly agree	85.2%	(± 5.7%)
Somewhat agree	12.5	(± 5.3)
Somewhat disagree	1.1	(± 1.5)
Strongly disagree	1.2	(± 1.8)
Tobacco use by adults should not be allowed on school grounds or at any school events.	n	ı = 190
Strongly agree	87.6%	(± 5.5%)
Somewhat agree	5.5	(± 3.4)
Somewhat disagree	4.6	(± 3.9)
Strongly disagree	2.3	(± 2.4)
Have you seen or heard about any efforts or activities in your community or in schools to prevent or reduce tobacco use among youth?	r	ı = 179
Yes	47.5%	(± 8.4%)
No	52.5	(± 8.4)
There are so many things that cause cancer, tobacco use is not going to make any difference.	n	n = 180
Strongly agree	7.7%	(± 4.8%)
Somewhat agree	8.1	$(\pm 4.4)$
Somewhat disagree	12.5	(± 5.7)
Strongly disagree	71.6	(± 7.6)
		, ,

Ferry
Created on 8/29/2005
Page 9 of 10

<sup>\*</sup>Estimates based on sample sizes less than 50 were omitted.

Would you ever use or wear something that has a tobacco company logo or picture on it?	n	= 188
Yes No	29.7% 70.3	(± 7.2%) (± 7.2)
Do you currently have a piece of clothing, or other item that has a tobacco brand or logo on it?	n	= 193
Yes No	15.7% 84.3	(± 5.8%) (± 5.8)
During the past year, have you received a free sample or coupon for a free sample of cigarettes or other tobacco products?	n	= 192
Yes No	13.3% 86.7	(± 5.2%) (± 5.2)
During the past year have you been somewhere, such as concert or special event, where tobacco companies were having a promotion - for example, giving away free samples or having a special give-away?	n	= 194
Yes No	5.8% 94.2	(± 3.9%) (± 3.9)
Tobacco companies should have the same rights to advertise their products as other companies.	n	= 179
Strongly agree Somewhat agree Somewhat disagree Strongly disagree	21.9% 32.7 14.1 31.3	(± 6.9%) (± 7.6) (± 6.9) (± 7.8)
Among people with children ages 12 to 17: Have you told your child specifically that you do not want him or her to use tobacco?	n	= 31
Yes No	*	*

Ferry
Created on 8/29/2005
Page 10 of 10